



Hand-held drilling machines



EHB 16/1.4 S R/L
1150 W; 0-450 rpm
Ø 20 mm in steel



EHB 16/2.4 S R/L
1150 W; 0-430/0-760 rpm
Ø 20 mm in steel



EHB 20/2.4
1150 W; 250/450 rpm
Ø 20 mm in steel



EHB 32/2.2 R R/L
1800 W; 60-140/200-470 rpm
Ø 32 mm in steel

Hand-held drilling machines



EHB 32/4.2
1700 W; 110/175/245/385 rpm
Ø 32 mm in steel



ESR 450
450 W; 0-4000 rpm
Ø 5 mm; 1.2 kg



EHD 1500
1.500 W; 0-2.000 rpm
Ø 32-82 mm



EHD 1500 Set
1.500 W; 0-2.000 rpm
Ø 32-82 mm

Dry-wall screwdrivers

Diamond dry core drills

Diamond dry core drills



ESD 1801
1.800 W; 0-2.050 rpm
Ø max. 90 mm



EHD 2000 S
1.700 W; 0-1.000/0-2.000 rpm
Ø 32-132 mm



EHD 1801
1.800 W; 0-550 rpm
Ø 150-250 mm



ETN 162/3
2.200 W; 0-510/-1.150/-2.500 rpm
Ø 12-162 (202) mm

Diamond wet-dry core drill

Diamond wet-dry core drill

Diamond wet core drills



PowerLine PLD 182 NT
2.300 W; 0-520/-1.250/-2.700 rpm
Ø 12-182 mm



PowerLine PLD 182
2.300 W; 0-520/-1.250/-2.700 rpm
Ø 12-182 mm



END 712 P
700 W; 0-8.000 rpm
Ø 3,5-12 (18) mm



END 1550 P
1.500 W; 1.800-4.400 rpm
Ø 6-68 mm (opt. 50 mm)

Diamond core drill motors



EBM 182/3
2.300 W; 480/1.080/2.350 rpm
Ø 12-202 mm (opt. 182 mm)



EBM 250/2 RP
2.500 W; 360/850 rpm
Ø 52-250 mm



EBM 352/3
3.000 W; 230/500/1.030 rpm
Ø 42-352 mm



PowerLine PLD 450.1 B
3.300 W; 180/400/780 rpm
Ø 71-450 mm



EIBENSTOCK

Elektrowerkzeuge

Diamond core drilling units



DBE 162
2200 W; 0-510/0-1150/0-2500 rpm
Ø 12-162 (202) mm



PowerLine PLE 182
2300 W; 0-520/0-1250/0-2700 rpm
Ø 12-182 mm



DB 200
2.500 W; 675 rpm
Ø max. 202 mm

NEW



DBE 182
2300 W; 480/1080/2350 rpm
Ø 12-202 mm (opt. 182 mm)

Diamond core drilling units



DBE 250 R
2500 W; 360/850 rpm
Ø 52-250 mm



DBE 352
3000 W; 230/500/1030 rpm
Ø 42-352 mm



PowerLine PLE 450 B
3300 W; 180/400/780 rpm
Ø 71-450 mm

Tile drilling machine



EFB 152 PX
1150 W; 180-1000 rpm
Ø 6-120 mm

Drill rigs



EBW 2300
1460-2300 mm; with add. machine
arm 550-1460 mm (accessory)



other models on request

Stirrers



EHR 14.1 SK Set
960 W; 0-390 rpm
Ø 120 mm; up to 30 kg mixture



EHR 15.1 SB Set
1050 W; 0-450 rpm
Ø 120 mm; up to 40 kg mixture

Stirrers



EHR 18.1 S Set
1100 W; 0-450 rpm
Ø 120 mm; up to 40 kg mixture



EHR 20.1 R Set
1300 W; 250-580 rpm
Ø 140 mm; up to 50 kg mixture



EHR 20/2.6 S Set
1300 W; 0-250/0-450 rpm
Ø 140 mm; up to 50 kg mixture



EHR 23/2.5 S Set
1800 W; 0-250/0-580 rpm
Ø 180 mm; up to 80 kg mixture

Stirrers




EZR 22 R R/L Set
1300 W; 140-400 rpm
Ø 220 mm; up to 60 kg mixture



EZR 23 R R/L Set
1800 W; 200-530 rpm
Ø 230 mm; up to 80 kg mixture

Mobile mixing stations



Automix 1801
1500 W; 50 rpm
65 l; up to 50 kg mixture



Automix 90
1500 W; 50 rpm
90 l; up to 80 kg mixture

Mobile mixing stations


TwinMix 1800 T
1.800 W; 250/450 u. 20/36 rpm
65 l; 50 kg mixture



FloorMix 2300
2.300 W; 70/130/160/280 rpm
110 l; 150 kg mixture

Petrol stirrer

NEW

EHR 750 B
0,75 kW/1,0 PS; 0-450 rpm
80 kg mixture

Scouring machine


EPF 1503
1.500 W; 4.000 rpm
Ø 140 mm

Concrete grinders


EBS 120.1
1.400 W; 9.000 rpm
Ø 125 mm



EBS 125.4 O/125.4 RO
1.500 W; 10.000/6.000-10.000 rpm
Ø 125 mm



EBS 1802
1.800 W; 10.000 rpm
Ø 125 mm



EBS 1802 SH
1.800 W; 10.000 rpm
Ø 125 mm

Concrete grinders


EBS 180 H
2.500 W; 8.500 rpm
Ø 180 mm



EBS 180 F
2.500 W; 8.500 rpm
Ø 180 mm



EBS 235.1
2.200 W; 1.380 rpm
Ø 235 mm


NEW

ELS 125 D
1.200 W; 8.000 rpm
Ø 125 mm

Surface milling machine


EOF 100
1.400 W; 10.000 rpm
Ø 100 mm

Long reach sander


ELS 225.1
590 W; 1.050-1.600 rpm
Ø 225 mm

Dry-wall sander


ETS 225
700 W; 0-1.450 rpm
Ø 225 mm

Insulation board sander


EWS 400
800 W; 0-85 rpm
Ø 370 mm

Plaster smoothing machines

NEW

EPG 400 A
18 V, 5,2 Ah Li-Ionen; 80 rpm
Ø 370 mm



EPG 400
500 W; 0-60 rpm
Ø 370 mm



EPG 400 WP
500 W; 0-60 rpm
Ø 370 mm

Diamond saws


EDS 125
1.250 W; 12.000 rpm; Ø 125 mm
max. cutting depth 36 mm



Diamond saws



EDS 181
2300 W; 4300 rpm; Ø 200 mm
max. cutting depth 63 mm

Cutting tables



ETT 700/1200
for EDS 125
max. cutting length 700/1200 mm

Stone cutting saw



EST 350.1
2400 W; 3900 rpm; Ø 350 mm
max. cutting depth 120 mm

Cutting and grinding systems



ETR 230
2600 W; 6500 rpm; Ø 230 mm
max. cutting depth 65 mm

Cutting and grinding systems



ETR 350/ETR 350 P
2700 W; 2200 rpm; Ø 350 mm
max. cutting depth 130 mm



System of guide rails
for ETR 350 P with crank feed for
relaxing working

Double blade sword saw



EDB 480.1
1800 W; 1500 stroke rate
cutting length 480 mm

Wall chasers



NEW - from end of 1st quarter 2019

EMF 125.2
1.700 W; 7.500 rpm; Ø 125 mm
30 mm depth; 30 mm width

Wall chasers



EMF 150.1
2.300 W; 7.500 rpm; Ø 150 mm
45 mm depth; 46 mm width



EMF 180.1
2.300 W; 2.200 rpm; Ø 180 mm
60 mm depth; 60 mm width

Polishers



WPN 180
1.200 W; 1.500-2.800 rpm
Ø 180 mm

Calender



ESM 1310
1.300 W; 1.300-3.050 rpm
Ø 120 mm

Industrial vacuum cleaners



SS 1401 L
max. 1250 W; Push&Clean filter
cleaning system; tank volume 25 l



DSS 25 A/DSS 50 A
max. 1400 W; automatic filter
cleaning; tank volume 25 l/50 l



DSS 25 M
max. 1400 W; automatic filter
cleaning; tank volume 25 l



DSS 35 M iP
max. 1600 W; permanent pulse
filter cleaning; tank volume 35 l

Elektrowerkzeuge GmbH Eibenstock
Auersbergstraße 10
08309 Eibenstock, Germany

Phone: +49 (0) 3 77 52 - 50 30
Fax: +49 (0) 3 77 52 - 20 19
Internet: www.eibenstock.com
E-Mail: office@eibenstock.com

Certified according to DIN EN ISO 9001:2015
Technical changes excepted! Illustrations may vary!

Your distributor: